


Portable AC



A tall, white, rectangular air purifier with vertical slats on the front and top. It is positioned in a bright, modern living room with light wood flooring, a grey sofa, and a potted plant. Sunlight streams in from a window with white curtains, creating a warm atmosphere. The air purifier has a small 'AUX' logo at the top and a control panel on the right side. It is shown with blue light rays emanating from its front, suggesting it is active.

Product Appearance

Matte Minimalist Body
Smaller Size Design

AUX 07 Smart

Easy Installation

The easier solution for exhaust hose connector

AUX

AUX

Others



Traditional Twist-Lock Connection

VS



Innovative Snap-Fit Connection

Other Features - Convenient

AUX



Power-Off Memory

Built-in memory chip saves operating mode after power failure, no more waking up from the heat at night.

24h Timer

Pre-set Departure: enjoy cool air upon returning home;
Pre-set Nighttime: avoid getting chilled while sleeping.

When AC is running/off, you can
1.Press "TIMER" on remote control
2.Long-press fan speed for 3s to set timer.

D Series Portable AC

DF



DA



DB



Standard Features



cool



dehumidify



fan



timer



WiFi

D Series Parameters

D Series	European Market	
Capacity	7000Btu/h	9000Btu/h
Cooling Capacity	2050W	2600W
Power Input	788 W	1000 W
EER	A/2.6	A/2.6
Power Supply	220-240V/50Hz,on-off	
Air Volume	320m³/h	
Noise Level	≤64dBW(A)	≤64dBW(A)
Refrigerant	R290	
Net Dimension	358×310×682	
Packing Dimension	385×360×885	
Loading Qty.(pcs) 20/40/40HQ	192/396/594	
Net Weight	23kg	24kg
Gross Weight	27kg	27.5kg



Q Series Portable AC

QA



Standard Features



cool



dehumidify



fan



timer

Optional



WiFi

Q Series Parameters

Q Series	European Market		
Cooling Capacity	12000Btu/h	12000Btu/h	12000Btu/h
Heating Capacity	/	9500Btu/h	/
EER	A/2.6	A/2.6	A+/3.1
COP	/	2.6	/
Power Supply	220-240V/50Hz on-off		220-240V/50Hz Inverter
Air Volume	450m³/h		450m³/h
Noise Level	≤64dBW(A)		≤64dBW(A)
Refrigerant	R290		R290
Net Dimension	452×403×794		452×403×794
Packing Dimension	497×445×885		497×445×885
Loading Qty.(pcs) 20/40/40HQ	158/331/372		158/331/372
Net Weight	32kg	33kg	35kg
Gross Weight	34kg	35kg	37kg



M Series Portable AC

MC




MJ



MA



MF



MK



9000Btu
only cooling
Without WiFi

14000Btu
only cooling
or
cooling and heating
WiFi



cool



heat



fan



timer



sleep



swing

M Series Parameters

M Series	European Market		
Capacity	9000Btu/h	14000Btu/h	14000Btu/h
Cooling Capacity	2600W	4100W	4100W
Heating Capacity	/	/	3200W
EER	A/2.6	A/2.6	A/4.1
COP	/	/	2.8
Power Supply	220-240V/50Hz,on-off		
Air Volume	340m³/h	500m³/h	450m³/h
Noise Level	≤65dBW(A)	≤65dBW(A)	≤65dBW(A)
Refrigerant	R290		
Net Dimension	415×345×710	493×415×802	493×415×802
Packing Dimension	470×385×885	570×515×885	570×515×885
Loading Qty.(pcs) 20/40/40HQ	146/300/450	88/184/275	88/184/275
Net Weight	28.5kg	36.5kg	36.5kg
Gross Weight	32kg	41.5kg	41kg



T Series Dehumidifier



TA



Black



Grey



White

T Dehumidifier Parameters

T Series	European Market		
Dehumidify Capacity	20L	30L	50L
Bucket Capacity	5.5L	5.5L	9L
Power Supply	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Air Volume	200m³/h	200m³/h	450m³/h
Noise Level	45dB(A)	45dB(A)	50dB(A)
Refrigerant	R290	R290	R290
Net Dimension	335×235×500	335×235×500	605×370×275
Packing Dimension	375×285×535	375×285×535	650×393×302
Loading Qty.(pcs) 40HQ	1270	1270	880
Net Weight	13.5kg	14kg	18kg
Gross Weight	14.5kg	15kg	19kg



T Series Dehumidifier Functions




Standard Function



Dehumidify



Speed adjust



timer



water full



casters

Optional Function



WiFi